PHYS 5310 CLASSICAL MECHANICS - 2025

Homework 2

Exercise 1.

A particle of mass m moving with velocity v_1 leaves a half space in which its potential energy is $U_1 = constant$ and enters another half space where the potential is a different constant U_2 . Determine the change in motion of the particle.

Exercise 2.

Show the covariance of E-L when transforming the Lagrangian from coordinates q_i to Q_i

$$q_i = q_i(Q_1, Q_2, ..., Q_s, t), i = 1, 2, ..., s,$$
 (1)

Exercise 3.

How does the Lagrange function

$$L = \sqrt{1 - \left(\frac{dx^2}{dt}\right)} \tag{2}$$

transforms under the change of coordinates q and time τ below?

$$x = q \cosh \lambda + \tau \sinh \lambda,$$

$$t = q \sinh \lambda + \tau \cosh \lambda$$
(3)

Exercise 4. Noether's theorem

Assume that under the following coordinate transformation:

$$q'_{i} = q_{i} + \epsilon \Psi_{i}(q, t)$$

$$t' = t + \epsilon \chi_{i}(q, t)$$
(4)

the action of the physical system under consideration is conserved, i.e.

$$\int_{t_2}^{t_1} L(q, \dot{q}, t) dt = \int_{t'_2}^{t'_1} L(q', \dot{q}', t') dt'$$

Then show that the following quantity is an integral of motion:

$$\sum_{i} \frac{\partial L}{\partial \dot{q}_{i}} \left(\dot{q}_{i} \chi - \Psi_{i} \right) - L \chi.$$

Exercise 5.

Find the integrals of motion if the type of operation does not change under:

- a. A space displacement.
- b. A rotation.
- c. A time scale change.
- d. A spiraling displacement.
- e. A transformation like the one described in formula (3) Exercise 3 above.

Exercise 6.

Find the integrals of motion for a particle that moves:

- a. In the uniform field $U(\vec{r}) = -\vec{F} \cdot \vec{r}$.
- b. In the field $U(\vec{r})$ where $U(\vec{r})$ is a homogeneous function $U(\alpha \vec{r}) = \alpha^n U(\vec{r})$. Determine for which value of n the similarity transformation does not change the operation.
- c. In the field of the progressing wave $U(\vec{r},t)=U(\vec{r}-\vec{V}t)$ where \vec{V} is the constant speed of the wave.